0

	Application No.	Applicant(s)
Notice of Allowability	10/086,491	CRAIG ET AL.
	Examiner	Art Unit
	Minh Trinh	3729
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Applicants' response filed on 6/20/05</u> .		
2. The allowed claim(s) is/are <u>35-46, renumbered 1-12</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☑ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🖾 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)	5 Distinct of Information	otent Application (DTO 450)
2. ☑ Notice of Praftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summary-	atent Application (PTO-152)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	-Paper No./Mail Dat	e
Paper No./Mail Date		nt of Reasons for Allowance
of Biological Material	9.  Other	

Application/Control Number: 10/086,491 Page 2

Art Unit: 3729

## **REASONS FOR ALLOWANCE**

## **Drawings**

1. New formal drawings are required in this application because drawings are objected to under 37CFR 184(g, I, m, p) or 1.152 (i.e., lines, numbers and letter are not uniformly thick, clean and/or durable). Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

## **EXAMINER'S AMENDMENT**

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the claims:

"An apparatus" (dependent claims 36-39, 44 and 46, line 1) have been changed to: --The--, as to reflect the dependent claim formats.

3. The following is an examiner's statement of reasons for allowance: because the teachings of the prior art taken as a whole do not show or render obvious the

Application/Control Number: 10/086,491

Art Unit: 3729

combination set forth, including a dispensing tube configured to dispense a plurality of

Page 3

blocks from orifices provided on the dispensing tube and a vibration source is coupled

to the dispensing tube and the vibration source facilitates even distribution of the blocks,

as set forth in details in the present invention's claims (see claims 35, 40-45).

Any comments considered necessary by applicant must be submitted no later

than the payment of the issue fee and, to avoid processing delays, should preferably

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Minh Trinh whose telephone number is (571) 272-4569.

The examiner can normally be reached on Monday -Thursday 8:00 am to 4:30 pm.

mt

2/9/06

MINHTRINH
PRIMARY EXAMINER